## **Disability Impacts** L of US







or bathing



adults in the United States Up to have some type of disability (27%)



12.1% 12.8% 7.2% 6.1% 4.8% 3.6% **COGNITION** Serious difficulty **MOBILITY** concentrating, remembering, or making decisions INDEPENDENT **LIVING** Difficulty doing **HEARING** errands alone Deafness or serious difficulty hearing **VISION** Blindness or serious difficulty **SELF-CARE** seeing Difficulty dressing

## **Disability and** Adults with disabilities are more likely to

With Without **Disabilities Disabilities HAVE OBESITY** 41.6% 29.6% **SMOKE** 21.9% 10.9% HAVE HEART DISEASE 9.6% 3.4% 15.9% 7.6% **HAVE DIABETES** 

## Healthcare access barriers for working-age adults include do not have a

**Disability and Healthcare** 

adults with disabilities

(18-44 years)

adults with disabilities (18-44 years)

ACCESS

have an unmet healthcare need because of cost

in the past year

usual healthcare

provider

**†** 

did not have a routine check-up in the past year adults with disabilities (45-64 years)

Making A

DIFFERENCE PUBLIC HEALTH IS FOR ALL OF US

> Join CDC and its partners as we work together to improve the health of people with disabilites



